



Technical specification bucket

JSB 12

Jokey Square Box



dimensions


D1: 106.5/4.2 x 106.5/4.2 mm/inch

D2: 97.0/3.8 x 97.0/3.8 mm/inch

D3: 88.5/3.5 x 88.5/3.5 mm/inch

H:* 61.0/2.4 mm/inch

*Height without lid



basic data

volume to rim: 0.49 l/0.13 gal
weight: 19.0 g
weight group: Medium

handle types

metal handle
plastic handle
belt handle
no handle
body grip
roller grips

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 10 %

decoration

height:
width:
median breadth:

IML

46.30/1.82 mm/inch
8.60/13.33 mm/inch

offset

0.0/0.0 mm/inch
0.0/0.0 mm/inch
0.0/0.0 mm/inch

lid

LSB 16

SLSB 16


	LSB 16	SLSB 16
standard		sealing lid
stacking height (mm/inch)	114.5/4.5	125.5/4.9
each further (mm/inch)	53.0/2.1	61.0/2.4

logistic

pieces per pallet

bucket 4800
pallet height 1.20 m
layer quantities: 99

99 filled pails per layer



122 cm (48'')

material



Virgin materials are approved for food contact and meet HPFB (Canada) and FDA (USA) regulations.

QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 11.02.2019 rev. 2.5



Technical specification lid

LSB 16



dimensions

D1: 104.5/4.1 x 104.5/4.1 mm/inch
H: 8.9/0.4 mm/inch

basic data

displaced volume:: 0.09 l/0.02 gal
weight: 8.0 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 10 %

decoration

Diameter

IML

0.00/0.00 mm/inch

offset

0.0/0.0 mm/inch

bucket

JSB 8

JSB 12

JSB 16




logistic

pieces per pallet

lid 38400
pallet height 2.20 m
layer quantities: 99

99 filled pails per layer



122 cm (48'')

material



Virgin materials are approved for food contact and meet HPFB (Canada) and FDA (USA) regulations.

QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 19.06.2015 rev. 2.1



Technical specification lid

SLSB 16



dimensions

D1: 104.5/4.1 x 104.5/4.1 mm/inch
H: 11.8/0.5 mm/inch

basic data

displaced volume:: 0.00 l/0.00 gal
weight: 6.5 g
weight group: Medium

tolerances

dimensions: +/- 1 mm
volume/weight: +/- 10 %

decoration

Diameter

IML

0.00/0.00 mm/inch

offset

0.0/0.0 mm/inch

bucket

JSB 8

JSB 12

JSB 16




logistic

pieces per pallet

lid 38400
pallet height 2.20 m
layer quantities: 99

99 filled pails per layer



122 cm (48'')

material



Virgin materials are approved for food contact and meet HPFB (Canada) and FDA (USA) regulations.

QM / certificates

You can download our current certificates on www.jokey.com.

misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at www.jokey.com or via email info@jokey.com

Date: 19.06.2015 rev. 2.1